



# A science dedicated to helping you reduce the risk of slips, trips and falls.

In the tortuous world of slips, trips and falls,

3M™ Safety-Walk™ Slip-Resistant Tapes and

Treads stand tall as an effective prevention

aid. These mineral and non-mineral coated

products of 3M science are offered in many

sizes, colors and textures, along with

multi-color, printed and luminescent choices.

All designed to help you avoid injuries, reduce

costs and maintain your good standing.



3M" Safety-Walk" Slip Resistant Tapes and Treads Series 200, 300, 500 and 600 have been certified by the National Floor Safety Institute (NFSI) as providing "high-traction." A wet static coefficient of friction (SCOF) of greater than 0.60 was chosen by NFSI as the criteria for "high traction" because according to NFSI, floor surfaces maintaining this level of slip resistance when wet have proven to reduce slip-and-fall claims by between 50% and 90%.

## 200 Series.

### For wet, barefoot traffic areas




#### 3M<sup>™</sup> Safety-Walk<sup>™</sup> Slip-Resistant Fine Resilient Tapes and Treads

Showers | Tubs | Surfboards | Around hot tubs and pools




### 300 Series.

#### For barefoot and shoe traffic areas




### 3M™ Safety-Walk™ Slip-Resistant Medium Resilient Tapes and Treads

Locker rooms | Around hot tubs and pools | Boats | Personal watercraft | Water skis | Exercise equipment | Conveyers




## 500 Series.

### For irregular and contoured surfaces




#### 3M<sup>™</sup> Safety-Walk<sup>™</sup> Slip-Resistant Conformable Tapes and Treads

Stairs | Ladders | Loading ramps | Platforms | Irregular surfaces like diamond plating | Flat surfaces with rivets or screw heads



## 700 Series.

#### For extreme conditions



#### 3M<sup>™</sup> Safety-Walk<sup>™</sup> Slip-Resistant Coarse Tapes and Treads

Construction vehicles |
Ship and plane decks | Trains |
Semi-trailers | Oily wet areas |
Platforms and ramps | Machine
shops | Agriculture and forestry
equipment | Recreational vehicles.


Extra strong mineral particles prevent clogging in dirty and oily applications, reduce clean-up time



High-performance adhesive creates excellent bond to most surfaces

## 600 Series.

### For light to heavy shoe traffic areas




#### 3M™ Safety-Walk™ Slip-Resistant General Purpose Tapes and Treads

Flat surfaces | Steps | Stairways |
Entrances | Ramps | Ladders |
Lawn equipment | Snowmobiles |
Scooters | Construction
machinery and vehicles |
Other machinery and vehicles



### 600 Series.

### For shoe traffic areas with graphic opportunity



#### 3M™ Safety-Walk™ Slip-Resistant General Purpose Tapes and Treads

Photo-Luminescent | Interior stairways w/o outside lighting | Egresses | For prevention of slips in dark environments

Yellow-Black | Visibility | Stands out even more than just yellow or areas that need calling attention to | Marking boundaries | Lane marking

Clear Graphic | Clear abrasive over your custom graphic | Retail branding | Directional signage | Watercraft and recreational vehicle graphics



### 3M™ Safety-Walk™ Slip-Resistant Treads & Tapes Ordering Information

Model Number	Color	Description	Tread Sizes	Tape Sizes
220	Clear	Fine Resilient	6 in. x 24 in.	Custom sizes available from 1 in. to 48 in wide x 6 ft. to 480 ft. long. Also available in standard sizes.
280	White			
7705	White			
310	Black	Medium Resilient	6 in. x 24 in.	Custom sizes available from 1 in. to 48 in wide x 6 ft. to 480 ft. long. Also available in standard sizes.
370	Gray			
510	Black	Conformable	6 in. x 24 in.	Custom sizes available from 1 in. to 48 in wide x 6 ft. to 480 ft. long. Also available in standard sizes.
530	Safety Yellow			
610	Black	General Purpose	3/4 in. x 24 in. 5-1/2 in. x 5-1/2 in. 6 in. x 24 in.	Custom sizes available from 1 in. to 48 in wide x 6 ft. to 480 ft. long. Also available in standard sizes.
620	Clear			
630	Safety Yellow			
690	Photo-Lum			
613	Yellow-Black			
710	Black	Coarse	6 in. x 24 in.	Custom sizes available from 1 in. to 48 in wide x 6 ft. to 480 ft. long. Also available in standard sizes.
770	Gray			

Product Use: Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the performance and useful life of 3M™ Safety-Walk™ Slip-Resistant Tapes and Treads products, including the type and preparation of the surface, and the conditions of use. User is solely responsible for evaluating the product and determining whether it is fit for user's particular purpose and adequately maintained.

Warranty, Limited Remedy, and Disclaimer: 3M warrants that its 3M™ Safety-Walk™ Slip-Resistant Tapes and Treads products will be free from defects in material and manufacture at the time of purchase from 3M's authorized distributor. 3M MAKES NO OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. If a 3M™ Safety-Walk™ Slip-Resistant Tapes and Treads product does not conform to this warranty, the sole and exclusive remedy is, at 3M's option, replacement of the 3M product or refund of the purchase price.

Limitation of Liability: Except where prohibited by law, 3M will not be liable for any loss or damage arising from its 3M™ Safety-Walk™ Slip-Resistant Tapes and Treads products, whether direct, indirect, special, incidental or consequential, regardless of the legal theory asserted.

To learn more, or to request samples, go to www.3M.com/safetywalk



Commercial Solutions Division 3M Center, Building 220-12E-04 St. Paul, MN 55144 USA

Phone 1-800-852-9722 Web 3M.com/safetywalk Please recycle. Printed in U.S.A.
The NFSI logo is a registered trademark of
the National Floor Safety Institute.
3M and Safety-Walk are trademarks of 3M.
Used under license in Canada.
© 3M 2017. All rights reserved.
78-8134-0719-0